FORM APPROVED Division of Health Care Facilities STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION (X3) DATE SURVEY COMPLETED IDENTIFICATION NUMBER: A. BUILDING: 01 - MAIN BUILDING 01 B. WING TN7602 08/18/2014 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 18805 ALBERTA DR **ONEIDA NURSING AND REHAB CENTER ONEIDA, TN 37841** SUMMARY STATEMENT OF DEFICIENCIES (X4) ID PROVIDER'S PLAN OF CORRECTION 1D (X5) COMPLETE DATE (EACH DEFICIENCY MUST BE PRECEDED BY FULL PRÉFIX (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE PREFIX REGULATORY OR LSC IDENTIFYING INFORMATION) TAG TAG DEFICIENCY) N 002 1200-8-6 No Deficiencies N 002 During the Life Safety portion of the annual licensure survey conducted on August 18, 2014, no deficiencies were cited under 1200-8-6, Standards for Nursing Homes.

Division of Health Care Facilities

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

HF2H21